



*With Brooks Rewards, members get critical news, views, and trends to keep abreast of an ever-changing marketplace.*

## 4 EMERGENCY RESPONSE PRODUCTS



2500L

Now those who work emergency, rescue, construction, and other extreme jobs have one less thing to worry about—their hands. With the help of **Kevlar®** and **Armortex®**, the **ProFlex® FIRE & RESCUE PERFORMANCE GLOVES**, from **Ergodyne®**, can be used for extrication rescues and other jobs that push the limits of endurance. Plus they're PVC-reinforced at the fingertip gripping zones to retain a tighter hold, while EVA padding cuts down on shock and impact to the hands. Stretch spandex shell makes for a comfortable fit. Lime/Black.

P/N	DESCRIPTION	SIZE
2500S	Performance Fire & Rescue Gloves	S
2500M	Performance Fire & Rescue Gloves	M
2500L	Performance Fire & Rescue Gloves	L
2500XL	Performance Fire & Rescue Gloves	XL

### PROTECTIVE GEAR

These premium **STRUCTURAL FIRE FIGHTING GLOVES**, from **Shelby®**, are made from heavy-weight, fire-retardant, and heat-resistant midnight blue **Koala®** tanned cowhide for maximum performance under any conditions. They're also sewn with **Kevlar®** thread to hold things together. Inside, there's a fleece liner as well as **Gore** glove barrier fabric to keep things thermally stable. A gunn cut pattern with a wing thumb and wraparound index finger is standard too. Plus every pair features **Shelby FDP™** ("Fit + Durability = Performance"). Meets NFPA 1971–2007 standards.



5227L

P/N	DESCRIPTION	SIZE
5227S	Structural Fire Fighting Gloves w/ Nomex Wristlets	S
5227M	Structural Fire Fighting Gloves w/ Nomex Wristlets	M
5227L	Structural Fire Fighting Gloves w/ Nomex Wristlets	L
5227XL	Structural Fire Fighting Gloves w/ Nomex Wristlets	XL
5228GFDPs	Structural Fire Fighting Gloves w/ Gauntlets	S
5228GFDPm	Structural Fire Fighting Gloves w/ Gauntlets	M
5228GFDP L	Structural Fire Fighting Gloves w/ Gauntlets	L
5228GFDPXL	Structural Fire Fighting Gloves w/ Gauntlets	XL



5228GFDP L

For quality, and economy, try **Shelby® STRUCTURAL FIRE FIGHTING GLOVES**. They're made from wash-and-wear tan pigskin for extra toughness. And they're gunn cut with seamless palms, wing thumbs, and come with **Nomex®** wristlets for extra flame resistance. Meets CAL and Federal OSHA requirements.

P/N	DESCRIPTION	SIZE
5009S	Structural Fire Fighting Gloves	S
5009M	Structural Fire Fighting Gloves	M
5009L	Structural Fire Fighting Gloves	L
5009XL	Structural Fire Fighting Gloves	XL



5009XL

## Wear With Or Without An SCBA

The **Cobra™ Classic™ FIRE FIGHTING HOOD**, from **PGI**, is the top pick by fire fighting professionals because it offers serious protection without sacrificing comfort. The hood accomplishes this by blending **Nomex®/Lenzing FR®** for superior flame and heat resistance with a **Comfort-Plus®** liner for unbeatable breathability, comfort, and moisture wicking properties. Flat stitched seams won't bunch or dig into your skin either. There's also an extra-heavyweight elastic face opening that stretches to a full 16" for easy donning and a snug fit—with or without an **SCBA** mask. Coverage extends to lower neck. UL classified to NFPA 1971. One size. White.



BZ33

<b>P/N</b>	<b>DESCRIPTION</b>	<b>EACH</b>
BZ33	Fire Fighting Hood	

From **Bullard®**, one of the biggest names in **FIRE FIGHTING HELMETS**, comes the **Firedome®**—life saving thermoplastic head protection for optimum impact and penetration resistance. They're very reliable under repeated heat exposure, and every helmet comes standard with the **Sure-Lock®** ratchet headband suspension for easy adjustment and superior comfort. Optically correct face shields are standard as well. Yellow. Certified to NFPA 1971 Standard on Protective Ensembles for Structural Fire Fighting, 2007 Edition.



PXY

<b>P/N</b>	<b>DESCRIPTION</b>	<b>EACH</b>
PXY	Thermoplastic Fire Helmet	


**StrikeTeam XTO™ GOGGLES** are designed with wildland fire fighting and technical rescue operations in mind, but they are an ideal choice for numerous other situations requiring dependable eye protection. They come with tons of premium features, too—**Speed-Clip™** quick strap adjustment, face padding, and replaceable lenses with tear-off covers. And speaking of lenses, they're virtually indestructible, thanks to polycarbonate construction. They're also fog-free with full-filter ventilation. Goggles will fit over most eyeglasses and are ANSI Z87.1+ and NFPA 1977 compliant.



ESS1

<b>P/N</b>	<b>DESCRIPTION</b>	<b>EACH</b>
ESS1	Black Frame, Clear Lens Model ESS01CB	

Be ready for any low-light situation with **Ergodyne's®** hi-vis **GloWear® PUBLIC SAFETY VESTS**. These vests feature a two-tone, five-point breakaway design with Level 2 ANSI-certified tape set on a 4 1/2" contrasting color background. There is one multi-division pocket on the inside and radio tabs/holders. Used for operations at local, state, and federal levels, **GloWear** safety vests help quickly identify people working in emergency response. ANSI 207-2011 compliant. Lime.



PSV1 (In Use)

<b>P/N</b>	<b>DESCRIPTION</b>	<b>SIZE</b>
PSV1	8245PSV Public Safety Vest	L–XL
PSV2	8245PSV Public Safety Vest	2XL–3XL
PSV3	8245PSV Public Safety Vest	4XL–5XL

## With Stitched-Down Linings That Won't Pull Out



LBB10

**Black Diamond® RUBBER FIRE BOOTS** offer incredible comfort with stitched-down linings that don't pull out. And with their non-slip heels, they offer a better, more accurate fit, because the foot remains in place while working and walking. Plus they're coated with 9.5mm felt, which takes it easy on the feet. Other standard features include steel toes and shanks for added protection and lug outsoles for a better purchase on all types of terrain. Boots are also open cell foam insulated and meet or exceed NFPA 1971, ANSI Z41, and CSA Z195 requirements.

P/N	DESCRIPTION	SIZE
LBB5	16" Insulated Boots	5 Medium
LBB6	16" Insulated Boots	6 Medium
LBB7	16" Insulated Boots	7 Medium
LBB75	16" Insulated Boots	7½ Medium
LBB8	16" Insulated Boots	8 Medium
LBB85	16" Insulated Boots	8½ Medium
LBB9	16" Insulated Boots	9 Medium
LBB95	16" Insulated Boots	9½ Medium
LBB10	16" Insulated Boots	10 Medium
LBB105	16" Insulated Boots	10½ Medium
LBB11	16" Insulated Boots	11 Medium
LBB115	16" Insulated Boots	11½ Medium
LBB12	16" Insulated Boots	12 Medium
LBB125	16" Insulated Boots	12½ Medium
LBB13	16" Insulated Boots	13 Medium
LBB14	16" Insulated Boots	14 Medium
LBB15	16" Insulated Boots	15 Medium



HBS



LGB

### ACCESSORIES

P/N	DESCRIPTION
HBS	Fully Adjustable, Red "H" Back Suspenders
LGB	Firefighter's Gear Bag, Coated 1,000-Denier Nylon, 27"L x 18"H x 12"W



SL72001

### PUBLIC SAFETY LIGHTING

**Streamlight's® KEY-MATE®** is big on power (10 lumens), thanks to its high-intensity LED that lasts 100,000 hours. Its anodized-aluminum casing is virtually indestructible. Four high-capacity alkaline button cell batteries (included) power it for up to 96 hours. Measures 2½".

P/N	DESCRIPTION
SL72001	Key-Mate Flashlight, 2½", Black
SL72030	Key-Mate Replacement Batteries, Pkg/4



73001SL

Truly tiny, a "small wonder", **Streamlight's® NANO LIGHT®** is an extremely small and super-bright light. Less than two inches tall and made from aircraft aluminum, **Nano** provides up to eight hours of run time with a 100,000-hour white LED. Flashlight uses four coin cells (included) and comes with a clip to attach it to a key chain, a tool belt, and more. Measures 1½".

P/N	DESCRIPTION	EACH
73001SL	Nano Light Flashlight, Black	

This **OUTDOOR HEADLIGHT**, from **Energizer®**, features a bright white LED (40 lumens) and red LED for night vision, supplying 360° of superior illumination for any adventure. Large separate push buttons make this light easy to use, and its rugged construction meets the demand of varying outdoor conditions. Light is water-resistant and comes with attachment clip. Powered by one AA battery (included).

P/N	DESCRIPTION	EACH
ECAP1AA	Outdoor Headlight w/Clip, Green/Black	
ALK91	Replacement AA Battery	SEE PAGE 195



ECAP1AA

**Litebox®** and **Vulcan® LANTERNS**, from **Streamlight®**, feature sealed-beam systems with halogen or xenon bulbs. They're constructed of ABS thermoplastic with rubberized impact bumpers, lens rings, and cushioned grip handles for extra toughness. **Power Failure Systems** standard too. Lanterns come with 8W spots and 80,000 candlepower.

P/N	DESCRIPTION	EACH
SL45116	Litebox Standard System Flashlight, 11½"L x 7"H x 5⅞"W, Orange/Black Includes: 120V AC, 12V DC Chargers, Shoulder Strap & Mounting Rack	
SL44000	Vulcan Standard System Flashlight, 7½"L x 6½"H x 5"W, Yellow/Black (FM) Includes: 120V AC, 12V DC Chargers, Shoulder Strap & Charging Rack	
SL44001	Vulcan Vehicle Mount System Flashlight, 7½"L x 6½"H x 5"W, Yellow/Black (FM) Includes: Truck-Mountable 12V DC Direct Wire Charging Rack & Shoulder Strap	
PRB612	6V, 12A Battery for SL45116	SEE PAGE 141
S45901	8W Bi-Pin Bulb (100 hr)	
45911	8W Spot Lamp Assembly for Litebox	



ECAP1AA In Use



SL45116

**Streamlight's® 4AA Propolymer FLASHLIGHTS** are waterproof, tough, and dependable, and they won't cost you an arm and a leg. These non-conductive flashlights also feature super-bright LEDs (67 lumens) as well as non-slip grips and tough polymer cases. They also incorporate helmet clamps (sold separately) for hands-free operation and use four AA-cell alkaline batteries (included). Measures 6½".

P/N	DESCRIPTION	EACH
SL68202	4AA LED Flashlight, Yellow/Black	
ALK91	Replacement AA Battery	SEE PAGE 195



SL44001



SL68202

## 4 EMERGENCY RESPONSE PRODUCTS



SL65018

Here's a good reason to wear shirts with pockets, **Streamlight® Stylus® PEN LIGHTS**. Besides conveniently clipping to things like your shirt pocket, they produce 11 lumens of powerful white light when needed. Each pen light features a 100,000-hour LED that you can switch from constant-on to momentary blink with the click of a button. And with a knurled anodized aluminum body and pocket clip, they're easy to hang on to. They're also water-resistant and use three AAAA-cell batteries (included). Both lights are CE approved. Black.

P/N	DESCRIPTION
SL65018	Pen Light, 6 <sup>1</sup> / <sub>4</sub> " Long
SL65618	Reach Pen Light, 14 <sup>n</sup> (Extended), 6 <sup>3</sup> / <sub>4</sub> " (Retracted)
SL65030	Replacement AAAA Batteries, Pkg/6



SL65618

The lightweight, versatile, and comfortable **3 LED HEADLIGHT**, from **Energizer®**, is perfect for work that requires free hands. With its swivel and tilt adjustment, it puts light where you need it. Choose white flood or red night-vision for the best illumination without changing lights. Mounts securely and can be comfortably worn around the head for long periods of time. Three AAA-cell **Max®** batteries included.



HD33A1

P/N	DESCRIPTION	EACH
HD33A1	3 LED Headlight, Black/Gray/Blue	
ALK92	AAA Alkaline Battery	

SEE PAGE 195



SL61049

For the ultimate in convenience, safety, and dependability, choose **Streamlight's®** hands-free **Trident®** or **Enduro™ HEADLAMPS**. The **Trident** combines a super-bright xenon bulb (12 lumens) with three LEDs (24 lumens), providing three-way lighting for short, medium, and long distances. It also offers spot-to-flood focus. The **Enduro** is not to be outdone with its super-bright .5W LED (14.5 lumens) and high/low beam modes. All headlamps are water-resistant with scratch-resistant polycarbonate bodies and lenses. Plus each features an adjustable elastic head strap for maximum comfort. **Trident** headlamp is UL listed.



SL61400

P/N	DESCRIPTION	EACH
SL61049	Trident Headlamp, Red/Black/Yellow Includes: (3) AAA-Cell Alkaline Batteries	
SL61400	Enduro Headlamp, Black Includes: (2) AAA-Cell Alkaline Batteries	
ALK92	Replacement AAA Battery	

SEE PAGE 195

For Replacement Batteries, See Section 10.

**Energizer® Ultimate® LITHIUM METAL FLASHLIGHTS**

are extremely dependable in extreme circumstances. Waterproof and made of machined aircraft aluminum, these flashlights have a wealth of high-tech features. Advanced circuitry and pushbutton tail-switch allow for variable brightness control and pulse-width modulation maximize battery life. The shatterproof lens is coated for superior hardness and weathering resistance. Also includes a sturdy belt clip, comfortable hand grip, and automatic 30-minute shutoff.

Gunmetal Gray.

P/N	DESCRIPTION	EACH
ELMCL11L	Ultimate 1AA Metal Flashlight	
ELMCL21L	Ultimate 2AA Metal Flashlight	
L91BP4	Ultimate Lithium AA Batteries, Pkg/4	



In a class by itself, the **Stinger® FLASHLIGHT**, from **Streamlight®**, sets the standard by which all other flashlights are judged. To start with, it is virtually indestructible, making it ideal for routine use in any environment. It also possesses potent power, thanks to its 3.6V, 1.8AH battery (rechargeable up to 1,000 times) and its xenon bi-pin bulb (providing 11,000 candlepower). Other features include an anodized aluminum housing, polycarbonate lens, and a spare xenon bulb in the tail cap. Each flashlight weighs 10 ounces, measures 7<sup>1</sup>/<sub>3</sub>" in length, and provides one hour of continuous use between charges.

P/N	DESCRIPTION	EACH
SL75014	Stinger Flashlight w/ AC/DC Charger, Black	121.36
SL75175	Replacement Battery for SL75014	19.99



**WARNING TAPES**

Our quality selection of **BARRICADE TAPE** is made of 2.5 mil polyethylene and comes in 3" x 1,000' rolls for easy handling and storage. It can be tied, stapled, or nailed in place to secure sensitive areas and warn of physical hazards or dangerous situations. Yellow.

P/N	DESCRIPTION	EACH
SLYFL	"Fire Line Do Not Cross"	
SLYPL	"Police Line Do Not Cross"	
TH1000	Tape Holder	
TH42003	Barricade Tape Dispenser	



For Additional Warning Tapes, See Section 5.




**MUNICIPAL FIRE HOSE AND FITTINGS**

Get the ultimate in high-performance with municipal-grade fire hose from **Brooks**. These durable **DOUBLE JACKET** and **YELLOW COATED FIRE HOSES** are constructed of 100% high-tensile-strength polyester yarns—both warp and filler—and lined with a high-tech E.P.D.M. tube, so they weigh less but last longer. NST aluminum coupled.

P/N	DESCRIPTION	BOWL SIZE	WEIGHT COUPLED	EACH
DJ50ANST	Double Jacket, 50' x 1 <sup>1</sup> / <sub>2</sub> "	1 <sup>15</sup> / <sub>16</sub> "	18 lbs	
DJ2550ANST	Double Jacket, 50' x 2 <sup>1</sup> / <sub>2</sub> "	3"	34 lbs	
DJ50YHANST	Yellow Coated, 50' x 1 <sup>1</sup> / <sub>2</sub> "	1 <sup>15</sup> / <sub>16</sub> "	21 lbs	
DJ2550YHANST	Yellow Coated, 50' x 2 <sup>1</sup> / <sub>2</sub> "	3"	39 lbs	




# 4 EMERGENCY RESPONSE PRODUCTS



FH150ANST

For all of your **FORESTRY HOSE** needs, look to **Brooks**. Our selection of lightweight hose meets USDA-US Forest Service Specifications and features a burst pressure of 750 psi, an acceptance test pressure of 500 psi, and a service test pressure of 250 psi. NST aluminum coupled.

P/N	DESCRIPTION	BOWL SIZE	WEIGHT COUPLED	EACH
FH150ANST	50' x 1" Alum	1 1/4"	7 lbs	
FH1100ANST	100' x 1" Alum	1 1/4"	11 lbs	
HS01	Hose Tote Strap System			



HS01

Designed for structural, vehicle, grass, and forestry fire fighting, our line of **BOOSTER HOSE** can't be beat for quality and performance. Its outer jacket is constructed of a specially compounded red neoprene that resists abrasion, ultraviolet light, ozone, and most petrochemicals. It also has two braids of high-tensile rayon yarn for extra strength and a smooth Black SBR rubber tube for seamless flows. Each length has a burst pressure of 3,200 psi, an acceptance test pressure of 800 psi, and a service test pressure of 400 psi. NST aluminum coupled. Meets NFPA.

P/N	DESCRIPTION	BOWL SIZE	WEIGHT COUPLED	EACH
BH150ANST	50' x 1"	1 9/16"	31 lbs	
BH1100ANST	100' x 1"	1 9/16"	60 lbs	



BH150ANST

For Additional Hose Options, See Section 3.



CG25



HH26

Our selection of **HYDRAULIC TEST EQUIPMENT** features a variety of highly engineered products and instruments to handle your calculation needs. The **Inline** and **Cap Gauges** are easy to attach to hydrants, valves, etc. and provide a quick check of water pressure. The handheld **Pitot Gauge** and **Hydrant Test Kit** offer convenient methods of checking straight tip nozzle and hydrant pressures quickly and accurately.

P/N	DESCRIPTION	EACH
CG25	Cap Gauge (0-300 psi), 2 1/2" NST	
LG25	Inline Gauge (0-300 psi), 2 1/2" NST	
HH26	Pitot Gauge (0-160 psi)	
HK25	Hydrant Test Kit (0-160 psi), 2 1/2" NST	



HK25

## MUNICIPAL HAND TOOLS

Very handy to have around, our **HOSE HOOK** is a multi-purpose tool that carries hose rolls and fits up to 5" hose. It doubles as a wrench for rocker and pin lug fittings (up to 2 1/2") as well as 4" and 5" storz fittings. It also opens foam bucket lids, drains hose, and holds doors open. Comes with a bracket for apparatus mounting too.



HH1



P/N	DESCRIPTION	EACH
HH1	Hose Hook	



Designed for today's fire department connections, these popular **WRENCHES** cover a variety of sizes in both storz and threaded adapters (pin or rocker lugs).

P/N	DESCRIPTION	EACH
STW	Storz x Universal Spanner (Alum) Fits 4"-6" Storz & 1½"-3" Rocker Lugs	
STH	Storz Spanner Wrench Holder	
W570	Universal Spanner Wrench (Alum) Fits 1½"-3" Pin/Rocker Lugs	
W580	Standard Hydrant/Spanner Wrench (Steel/Ductile Iron) Fits 1½"-6" Pin/Rocker Lugs	
W575	Heavy-Duty Hydrant/Spanner Wrench (Steel/Ductile Iron) Fits 1½"-6" Pin/Rocker Lugs	
K48	Hydrant/Spanner Wrench Holder (No Tools)	
AFS	Folding Pocket Spanner Wrench (Plastic) Fits Pin/Rocker Lugs Thru 4"	

**RESCUE TOOLS** include the **Res-Q-Rench**, which is five tools in one: universal spanner, pry tool, window punch, seat belt cutter, and gas shut-off. There's also the **Res-Q-Me** that shatters tempered glass and cuts through safety belts in seconds.

P/N	DESCRIPTION	EACH
RQR	Res-Q-Rench (Plastic) Fits 4", 5" Storz & 1½", 2½" Rocker Lugs	
RST1	Res-Q-Me Tool	

The **89 RESCUE TOOL**, from **Channellock®**, has a spanner wrench that works on storz and rocker lug couplings (up to 6"). There's also a tool steel punch to shatter safety glass, a pry bar for doors and windows, a gas shutoff, and hardened steel edges that easily shear through soft metal. And its narrow profile helps it work wonders in tight places.

P/N	DESCRIPTION	EACH
TL89	89 Rescue Tool	

Our collection of municipal-grade **FIRE AXES** includes four different styles with or without pick heads and solid hickory or yellow fiberglass handles—all with 6 lb heads. Optional mounting bracket and hooks available separately.

P/N	DESCRIPTION	EACH
406M	Pick Head Fire Axe w/ 36" Hickory Handle	
406Y	Pick Head Fire Axe w/ 36" Fiberglass Handle	
407Y	Flat Head Fire Axe w/ 34" Fiberglass Handle	
→ D406M	Pick Head Fire Axe w/ 36" Hickory Handle (Domestic)	
→ D406Y	Pick Head Fire Axe w/ 30¾" Fiberglass Handle (Domestic)	
→ D407Y	Flat Head Fire Axe w/ 34" Fiberglass Handle (Domestic)	
AB408	Axe Bracket & Hook	

### MUNICIPAL VALVES

Both the **Gated Wye** and **Swivel Gate MUNICIPAL VALVES** are engineered from lightweight cast aluminum with powder coated bodies and hard anodized extruded aluminum inlets/outlets for maximum performance and corrosion resistance. The **Gated Wye** also has powder coated handles with an orange peel finish for easy gripping, while the **Swivel Gate Valve** features a non-rising brass stem with aluminum hand crank for fast, trouble-free operation.

P/N	DESCRIPTION	EACH
9443	Swivel Gate Valve, 2½" NST(F) x 2½" NST(M)	
9611	Gated Wye, 2½" NST(F) x 1½" NST(M) x 1½" NST(M)	



**Municipal Quality at an Industrial Price**



**Brooks'** collection of **Viper FIRE FIGHTING NOZZLES** includes the very best municipal nozzles available. Offered in a variety of styles, sizes, and construction, these nozzles are the professional's choice for municipal and industrial applications.

**Standard Features**

- E-Lite aluminum construction with brass internal parts
- Fog-to-straight stream with a twist of the bumper
- Flushable without shutting down
- Full-time swivels and removable pistol grips
- Constant flow through fog and straight stream

P/N	DESCRIPTION	EACH
SG1560	1" Viper Select Gallonage, NST (15, 30, 50, 60 gpm)	
SG3012	1 1/2" Viper Select Gallonage, NST (30, 60, 95, 125 gpm)	
P45SV	1 1/2" Viper, Constant Gallonage, NST (95 gpm)	



**FOAM EDUCTORS**

**POK's IN-LINE EDUCTORS** are easy to install and feature a metering knob for easy, economical dispersal of 0%–6% foam solutions. They're easy to maintain with a low-pressure drop too. Eductors also come complete with 10' pick-up tube and an NST inlet.

P/N	DESCRIPTION
POK1448	1 1/2" Foam Eductor, 95 gpm
POK1444	1 1/2" Foam Eductor, 125 gpm



The **POK LOW EXPANSION FOAM NOZZLE** is made from aluminum with a red **NITUFF™** finish. Provides excellent reach and penetration with an expansion ratio of 10. 8" long.

P/N	DESCRIPTION
DDPPOK9957	1 1/2" Air ASP Foam Nozzle, NST, 95 gpm



**BACKPACK EXTINGUISHING SYSTEM**

The **Genfo-45 WILDLAND BACKPACK EXTINGUISHING SYSTEM** features a large 4 1/2 gal reservoir and internal baffle for a substantial yet stable transportable water supply. It also includes a double-action hand pump and a 40" x 1/4" bsp hose with a fully adjustable nozzle, a carry handle, and shoulder straps for easy transportation. Weighs 4 lbs empty and measures 25 1/2"H x 19 1/3"W x 1"D.

P/N	DESCRIPTION
WBES45	Genfo-45 Water Backpack
WBES45FT*	Foam Application Tube for Genfo-45

\*SPECIAL ORDER



**CHEMICAL**

**Brooks** carries a wide selection of **FOAM** products to meet your specific needs. The **36AFFF** is all-synthetic film-forming foam, designed for use on water-soluble polar solvents and water-insoluble hydrocarbon flammable liquids. The **3AFFF** and **6AFFF** are synthetic aqueous film-forming foam concentrates, designed for use on non-polar hydrocarbon hazards.

**NOTE:** TFOAM is for live fire-training sessions only.



P/N	DESCRIPTION	SIZE
36AFFF	3% or 6% AR-AFFF Foam	5 gal Pail
3AFFF	3% AFFF Foam	5 gal Pail
6AFFF	6% AFFF Foam	5 gal Pail
TFOAM	3% or 6% AFFF Virtual Training Foam	5 gal Pail
AFOAM	Class A Foam	5 gal Pail